

AMICO Vinyl Accessories (EIFS) – Submittal Sheet

(SHEET 1)


Project: Physical Education Building Exterior Renovation

Location: Germantown Contractor: Million Construction, Inc.


Distributor: _____ Date: _____

Please indicate which of the following will be used in this project:


EIFS Corner Bead




EIFS Starter Strip




EIFS/Veneer Corner Bead



EIFS Starter Casing Strip




EIFS Window and Door Drip Edge



	Board Thickness A	Finish Thickness
□ AMWDE-75-16	¾"	1/16"
□ AMWDE-100-16	1"	1/16"
□ AMWDE-150-16	1½"	1/16"
□ AMWDE-150-25	1½"	¼"
□ AMWDE-200-16	2"	1/16"
□ AMWDE-100-25	1"	¼"

EIFS Starter Track Casing



Alabama Metal Industries Corporation

3245 Fayette Ave. • P.O. Box 3928 • Birmingham, AL 35208
(205) 787-2611 • (800) 366-2642 • FAX (205) 786-6527
www.amico-vinyl.com

All accessories are produced in 10-foot lengths, unless otherwise noted.

AMICO vinyl trims for exterior products conform to ASTM-C840, C844, C1047 and D1784. Vinyl trims for exterior products conform to ASTM-D4216 and C1063.

Beads can be cut with hand snips or fine tooth saw. All butt joints, intersections and ends should be joined, embedded and sealed in a quality sealant compatible with exterior paint/coating.

AMICO Vinyl Accessories (EIFS) – Submittal Sheet


(SHEET 2)

Project: _____


Location: _____ Contractor: _____

Distributor: _____ Date: _____


Please indicate which of the following will be used in this project:

EIFS Angled Starter Track Casing


- ☐ AMSTA-1000 (1" board thickness A)
☐ AMSTA-1500 (1½" board thickness A)
☐ AMSTA-2000 (2" board thickness A)

EIFS Soffit Vent


- ☐ AMFBSVE-300-100 (4¾" overall width / 3" vent opening / 1" board thickness)

EIFS Expansion Joints (Deep "V")


- ☐ AMCJV-160
 (2¼" width / 1/16" finish thickness)



- ☐ AMCJV-250
 (2¼" width / ¼" finish thickness)

EIFS Sill Wedge

- ☐ AMSW-378 (3 7/8" width / 3/8" height)
☐ AMSW-578 (5 7/8" width / 3/8" height)

EIFS Angled Surface Drip Bead

- ☐ AMASDB (1¾" flange / 1/8" ground)

P.A.R.A. : 2,2.05,B

**Alabama Metal Industries Corporation**

3245 Fayette Ave. • P.O. Box 3928 • Birmingham, AL 35208
 (205) 787-2611 • (800) 366-2642 • FAX (205) 786-6527
www.amico-vinyl.com

All accessories are produced in 10-foot lengths, unless otherwise noted.

AMICO vinyl trims for exterior products conform to ASTM-C840, C844, C1047 and D1784. Vinyl trims for exterior products conform to ASTM-D4216 and C1063.


Beads can be cut with hand snips or fine tooth saw. All butt joints, intersections and ends should be joined, embedded and sealed in a quality sealant compatible with exterior paint/coating.

EIFS VINYL SOFFIT VENT

FOR EIFS APPLICATIONS

is designed to accommodate 1" foam insulation board, while providing a full 3" of vented area. AMICO Soffit Vent provides 14 square inches of open area per lineal foot. All surfaces that receive finish have ridges for better adhesion. The top flanges are extra wide, and have a 1/8-inch ground to accommodate the application of the proper thickness of finish.

Product Submittal	Product Number	Vent Opening	Board Thickness
	AMFBSVE-300-100	3"	1"
Overall Width 4 ³ / ₄ "			
1/8" Ground			
Standard Length is 10-ft.			



All information contained herein is accurate as known at the time of publication. Specifications may change and AMICO reserves the right to change product specifications without notice and without incurring obligations.

ALABAMA METAL INDUSTRIES CORPORATION

3245 Fayette Avenue ♦ Birmingham, AL 35208 ♦ Telephone 800/366-2642 ♦ Facsimile 205/786-6527
email fmayer@gibraltar1.com

July 2010

QUALITY PRODUCTS-COAST TO COAST



A GIBRALTAR INDUSTRIES COMPANY 